

# NFPA 1971

## Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting

2007 Edition

**Reference:** 8.38.4

**TIA 07-5**

(SC 08-3-5/TIA Log #903)

Pursuant to Section 5 of the NFPA Regulations Governing Committee Projects, the National Fire Protection Association has issued the following Tentative Interim Amendment to NFPA 1971, *Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting*, 2007 edition. The TIA was processed by the Technical Committee on Structural and Proximity Fire Fighting Protective Clothing and Equipment, and was issued by the Standards Council on March 4, 2008, with an effective date of March 24, 2008.

A Tentative Interim Amendment is tentative because it has not been processed through the entire standards-making procedures. It is interim because it is effective only between editions of the standard. A TIA automatically becomes a proposal of the proponent for the next edition of the standard; as such, it then is subject to all of the procedures of the standards-making process.

1. Make the following change in the Section 8.38, *Glove Hand Function Test*, as follows:

**8.38.4 Apparatus.** The apparatus shall be as specified in ASTM F 2010, *Standard Test Method for Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test*, with the following modification.

(1) The stainless steel pins shall be with a medium knurled 30 degree (25 teeth per in.) surface.

(Note: For further information on NFPA Codes and Standards, please see [www.nfpa.org/codelist](http://www.nfpa.org/codelist))