

Report

Home Structure Fires Involving Kitchen Equipment Other Than Cooking Equipment John R. Hall, Jr. Fire Analysis and Research Division National Fire Protection Association February 2008

Errata No.: USS52-February 2008-01

A computer entry error resulted in over-estimation of home fires involving equipment for the year 2002. All types of equipment were affected except for heating equipment and air conditioning or fan equipment. Estimates for heating equipment and air conditioning or fan equipment were calculated in an earlier, separate exercise.

Most causal tables in the equipment report show estimated annual averages for 2002-2005 based on a four-year average from the trend table. The estimates in these tables are also artificially high.

In general, corrections result in a reduction of 14% in fires, 3% in civilian injuries and 0.3% in direct property damage. Estimates of civilian deaths are not affected. For equipment with fewer fires, the influence of 2002 fires on the total may be disproportionately large or small.

The attached table shows the corrected fire and loss estimates for each type of equipment involved. Please contact the Fire Analysis and Research Division if you need more specific information about causal factors associated with specific types of equipment.

Issue date: December 12, 2008

Fire Analysis and Research Division Phone: 617-984-7443 E-mail: osds@nfpa.org

Copyright © 2008 All Rights Reserved NATIONAL FIRE PROTECTION ASSOCIATION

> John R. Hall, Jr. Fire Analysis and Research Division National Fire Protection Association

October 2008



National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471 www.nfpa.org

Acknowledgements

The National Fire Protection Association thanks all the fire departments and state fire authorities who participate in the National Fire Incident Reporting System (NFIRS) and the annual NFPA fire experience survey. These firefighters are the original sources of the detailed data that make this analysis possible. Their contributions allow us to estimate the size of the fire problem.

We are also grateful to the U.S. Fire Administration for its work in developing, coordinating, and maintaining NFIRS.

For more information about the National Fire Protection Association, visit <u>www.nfpa.org</u> or call 617-770-3000. To learn more about the One-Stop Data Shop go to <u>www.nfpa.org/osds</u> or call 617-984-7443.

Copies of this analysis are available from:

National Fire Protection Association One-Stop Data Shop 1 Batterymarch Park Quincy, MA 02169-7471 www.nfpa.org e-mail: osds@nfpa.org phone: 617-984-7443

NFPA Index No. 1401 Copyright © 2008, National Fire Protection Association, Quincy, MA

This custom analysis is prepared by and copyright is held by the National Fire Protection Association. Notwithstanding the custom nature of this analysis, the NFPA retains all rights to utilize all or any part of this analysis, including any information, text, charts, tables or diagrams developed or produced as part hereof in any manner whatsoever as it deems appropriate, including but not limited to the further commercial dissemination hereof by any means or media to any party.

EII	Type of Equipment	Fires Corrected		Civilian Deaths	Civilia Corrected	n Injuries	Direct Property Damage (in Millions) Corrected	
631-647,	COOKING EQUIPMENT	142,250	161,846	442	4,585	4 ,723	\$761	\$763
654								
	Non-confined	36,910	42,730	442	3,163	3,257	<i>\$733</i>	\$735
	Confined	105,341	119,116	0	1,422	1,466	\$28	\$28
646	Range	94,534	107,233	381	3,792	3,909	\$529	\$530
	Non-confined	28,010	32,339	381	2,681	2,761	\$509	\$510
	Confined	66,524	74,894	0	1,111	1,149	\$20	\$20
645	Oven	27,529	31,503	4	270	274	\$32	\$32
	Non-confined	2,987	3,443	4	122	124	\$26	<u>\$27</u>
	Confined	24,541	28,060	0	148	149	\$5	\$5
631-641	Portable cooking or warming device	7,943	9,047	38	219	226	\$78	\$78
	Non-confined	2,439	2,893	38	156	162	\$77	\$77
	Confined	5,504	6,154	0	63	64	\$1	\$1
637	Toaster or toaster oven	4,282	4,962	15	72	74	\$34	\$34
639	Wok, frying pan, or skillet	1,982	2,192	0	96	98	\$10	\$10
631	Coffee maker or teapot	600	672	4	16	18	\$20	\$20
632	Food warmer or hot plate	412	473	15	16	16	\$7	\$7
633	Kettle	297	331	4	5	5	\$1	\$1
636	Slow cooker	216	242	0	15	16	\$5	\$5
635	Pressure cooker or cancer	74	95	0	0	0	\$0	\$0
638	Waffle iron or griddle	34	34	0	0	0	\$0	\$0
641	Breadmaking machine	25	25	0	0	0	\$0	\$0
634	Popcorn popper	21	21	0	0	0	\$0	\$0
644	Microwave oven	7,123	8,085	0	108	111	\$17	\$17
	Non-confined	1,180	1,331	0	62	64	\$17	\$17
	Confined	5,944	6,754	0	45	46	\$1	\$1
643	Grill, hibachi, or barbecue	3,048	3,539	14	92	95	\$83	\$83
	Non-confined	1,306	1,552	14	80	83	\$8 <i>3</i>	\$83
	Confined	1,742	1,987	0	12	12	\$0	\$0

EII	Type of Equipment	F Corrected	Tires	Civilian Deaths	Civilian Corrected	Injuries	Direct Pro Damage (in I Corrected	operty Millions)
	COOKING EQUIPMENT (Continued)							
642	Deep fryer	1,169	1,382	5	70	73	\$17	\$17
	Non-confined	536	<u>642</u>	5	35	36	\$17	<u>\$17</u>
	Confined	633	740	0	35	37	\$0	\$0
654	Grease hood or duct exhaust fan	868	1,009	0	34	35	\$5	\$5
	Non-confined	447	524	0	26	27	\$5	\$5
	Confined	421	485	0	8	9	\$0	\$0
647	Steam table or warming drawer	35	48	0	0	0	\$0	\$0
	Non-confined	4	7	0	0	θ	\$0	\$0
	Confined	31	42	0	0	heta	\$0	\$0
	Confined to cooking vessel but coded	Not	4,091	0	Not	12 4	Not	<u>\$2</u>
	as equipment other than cooking equipment	Checked			Checked		Checked	
611-623, 651-653,	KITCHEN EQUIPMENT OTHER THAN COOKING EQUIPMENT	2,852	3,3 40	15	102	105	\$72	\$72
655-656								
652, 655-656	Refrigerator, freezer, or ice maker	1,625	1,917	12	66	68	\$48	\$48
656	Refrigerator	1.347	1.580	12	47	48	\$36	\$37
652	Separate freezer	276	335	0	19	19	\$12	<u>\$12</u>
655	Separate ice maker	3	3	0	0	0	\$0	\$0
651	Dishwasher	1,133	1,309	4	30	31	\$22	<u>\$22</u>
653	Garbage disposer	38	43	0	3	4	\$0	\$0
611	Blender, juicer, or food processor	30	37	0	0	0	\$0	\$0
621	Can opener	16	21	0	2	2	\$0	\$0
612	Coffee grinder	7	9	0	0	0	\$1	\$1
623	Knife sharpener	3	3	0	0	0	\$0	\$0
622	Knife	0	θ	0	0	0	\$0	\$0

			Civilian	Civilian	Direct Property Damage
EII	Type of Equipment	Fires	Deaths	Injuries	(in Millions)
NO CORR	RECTIONS WERE NEEDED FOR HEA	ATING EQUIPME	NT		
121-152 H	IEATING EQUIPMENT	66,642	637	1,554	\$961
	Non-confined	27,576	637	1,453	\$942
	Confined	39,066	0	101	\$19
125-127	Chimney or chimney connector	25,304	26	71	\$98
	Non-confined	2,004	26	45	\$85
	Confined	23,300	0	26	\$13
	Unspecified chimney or flue	22,778	0	26	\$13
127	Metal chimney	1,163	13	23	\$47
126	Brick or stone chimney	975	13	16	\$29
125	Chimney connector	388	0	6	\$9
123-124,	Space heater	19,557	521	1,005	\$556
131,	-				
141-143					
	Non-confined	14,711	521	984	\$554
	Confined	4,845	0	21	\$2
124	Heating stove	7,720	180	432	\$174
131	Local heating furnace	4,575	42	102	\$54
141	Heater excluding oil-filled or	4,166	189	317	\$220
	catalytic				
143	Oil-filled heater	1,587	80	76	\$30
123	Fireplace with insert	1,175	26	38	\$67
142	Catalytic heater	334	4	39	\$11
132-133	Furnace	12,327	41	161	\$105
	Non-confined	2,941	41	116	\$101
	Confined	9,386	0	45	\$4
132	Central furnace	9,171	41	145	\$84
133	Boiler	3,156	0	16	\$21
151	Water heater	7,101	46	275	\$117
	Non-confined	5,767	46	266	\$117
	Confined	1,335	0	9	\$0

ЕП	Type of Equipment	Fires	Civilian Deaths	Civilian Injuries	Direct Property Damage (in Millions)
				Ū	
NO COI	RRECTIONS WERE NEEDED FOR HEAT	FING EQUIPME	NT	. –	A - 4
121-122	Fireplace	1,469	3	17	\$64
	Non-confined	1,309	3	16	\$63
	Confined	160	0	1	\$0
121	Masonry fireplace	924	0	11	\$31
122	Factory-built fireplace	545	3	5	\$33
145	Heat tape	451	0	9	\$8
	Non-confined	451	0	9	\$8
	Confined	0	0	0	\$0
144	Heat lamp	383	0	15	\$12
	Non-confined	343	0	15	\$12
	Confined	40	0	0	\$0
152	Steamline, heat pipe, or hot air duct	51	0	0	\$1
	Non-confined	51	0	0	\$1
	Confined	0	0	0	\$0
	Confined to chimney or boiler but coded as equipment other than heating equipment	7,086	0	18	\$1
111-117	AIR CONDITIONING, FAN, OR	6,071	35	254	\$139
	RELATED EQUIPMENT				
113	Fan	3,225	15	145	\$73
111	Air conditioner	2,197	16	86	\$55
112	Heat pump	321	0	10	\$4
116	Dehumidifier	197	0	5	\$5
114	Humidifier	67	0	2	\$1
117	Evaporative cooler or cooling tower	39	0	4	\$1
115	Ionizer	24	4	2	\$1

							Direc	t Property
EII	Type of Equipment] Corrected	Fires	Civilian Deaths	Civilia Corrected	ın Injuries	Damage Corrected	e (in Millions)
210-263	ELECTRICAL DISTRIBUTION AND	20,673	24,176	321	805	828	\$696	\$698
	LIGHTING EQUIPMENT							
231-244	Lamp, light bulb or light fixture	5,762	6,789	57	237	244	\$166	\$166
231	Table, floor, or desktop lamp	1,929	2,247	43	130	135	\$62	\$63
233	Incandescent light fixture	1,488	1,723	9	38	39	\$38	\$38
238	Light bulb	626	769	0	13	13	\$11	\$11
235	Halogen light fixture	631	739	0	26	27	\$19	\$19
234	Fluorescent light fixture	417	519	0	3	3	\$10	\$10
237	Work or trouble light	315	369	0	7	7	\$14	\$14
242	Decorative light on line voltage	193	239	4	13	14	\$7	\$7
241	Nightlight	61	74	0	3	3	\$1	\$1
243	Decorative or landscape lighting	40	44	0	0	θ	\$1	\$1
	on low voltage							
232	Lantern or flashlight	43	43	0	3	3	\$3	\$3
244	Sign	9	14	0	0	θ	\$0	\$0
236	Sodium or mercury vapor light	9	9	0	0	0	\$0	\$0
211-212,	Wiring	4,621	5,403	88	73	75	\$161	\$161
214, 216								
216	Branch circuit wiring	2,328	2,736	83	43	44	\$100	\$100
212	Service supply wiring from utility	969	1,131	6	16	16	\$33	\$33
214	Wiring from meter box to circuit breaker	748	881	0	14	1 4	\$17	\$17
211	Power (utility) line	576	655	0	0	0	\$11	\$11
217-218	Outlet, receptacle, or switch	3,598	4,208	23	150	155	\$116	\$116
217	Outlet or receptacle	3,238	3,791	23	140	145	\$107	\$107
218	Wall switch	361	417	0	10	10	\$9	\$9

ЕП	Type of Equipment	Corrected	Fires	Civilian Deaths	Civilian Injuries Corrected		Direct Property Damage (in Millions) Corrected	
	ELECTRICAL DISTRIBUTION AND LIGHTING EQUIPMENT (Continued)							
215, 219,	Overcurrent protection equipment	2,606	3,052	15	71	73	\$69	\$70
227								
215	Panelboard or switchboard	2,138	$\frac{2,502}{2,502}$	4	52	54	\$54	\$55
227	Surge protector	420	488	11	15	16	\$14	\$14
219	Ground fault circuit interceptor (GFCI)	48	62	0	3	3	\$2	\$2
261-263	Cord or plug	2,568	2,982	125	206	212	\$116	\$116
263	Extension cord	1,811	2,114	96	165	171	\$91	\$91
262	Permanent power cord or plug	440	510	25	20	20	\$12	\$12
261	Detachable power cord or plug	318	358	4	21	21	\$13	\$13
213	Meter or meter box	806	935	4	17	17	\$32	\$32
224-226,	Power source	411	4 50	0	36	37	\$29	\$29
228-229								
224	Generator	209	229	0	29	30	\$19	\$19
228	Battery charger or rectifier	132	147	0	7	7	\$7	\$7
229	Battery	55	60	0	0	θ	\$2	\$2
225	Inverter	9	9	0	0	0	\$0	\$0
226	Uninterrupted power supply	4	4	0	0	0	\$0	\$0
221-223	Transformer	286	341	8	13	13	\$7	\$7
223	Low voltage transformer	134	156	4	8	8	\$3	\$3
222	Overcurrent or disconnect equipment	93	110	4	5	5	\$4	\$4
221	Distribution type transformer	60	75	0	0	0	\$0	\$0
253	Lightning rod or arrester	10	10	0	0	0	\$0	\$0
251	Electric fence	4	4	0	2	2	\$0	\$0
252	Traffic control device	0	0	0	0	0	\$0	\$0

EII	Type of Equipment	Corrected	Fires	Civilian Deaths	Civiliar Corrected	ı Injuries	Direc Damage Corrected	et Property e (in Millions)
300-599,	OTHER APPLIANCES AND EQUIPMEN	T						
700-999 811, 813, 814	Washer or dryer	15,638	18,282	26	454	468	\$198	\$198
811	Clothes dryer	14.420	<u>16.867</u>	26	423	436	\$187	\$187
814	Washing machine	720	844	0	12	13	\$4	\$4
813	Washer/drver	498	<u>571</u>	Ő	19	20	\$6	\$6
331-334	Torch or burner	1.983	2,283	7	131	<u>136</u>	\$100	\$100
334	Soldering equipment	823	<u>955</u>	7	52	55	\$35	\$35
331	Welding torch	573	649	0	46	4 6	\$45	\$45
332	Cutting torch	309	351	0	12	14	\$7	\$7
333	Burner	277	328	0	20	22	\$12	\$12
730-757	Entertainment equipment	1,804	$\frac{2,102}{2,102}$	12	105	108	\$49	\$49
753	Television	789	911	4	62	64	\$23	\$23
748	Stereo equipment	266	314	8	9	10	\$12	\$11
743	Radio	216	267	0	7	8	\$3	\$3
754	VCR or VCR/TV combination	134	151	0	10	10	\$2	\$2
741	(Audio) CD player	103	120	0	0	θ	\$2	\$2
747	Separate audio speakers	68	79	0	2	2	\$1	\$1
751	Cable converter box	49	58	0	5	5	\$1	\$1
750	Unclassified video equipment	39	4 5	0	3	4	\$1	\$1
740	Unclassified sound recording or receiving equipment	39	42	0	0	θ	\$1	\$1
755	Video game (electronic)	32	38	0	5	5	\$3	\$3
745	Phonograph, record player or turntable	14	17	0	0	θ	\$0	\$0
733	Musical synthesizer or keyboard	9	15	0	0	0	\$0	\$0
742	Laser disk player	12	12	0	0	0	\$0	\$0
732	Piano or organ	10	10	0	0	0	\$0	\$0
749	Tape recorder or player	9	9	0	0	0	\$0	\$0
730	Unclassified musical instrument	6	6	0	0	0	\$0	\$0

							Dire	ct Property
EII	Type of Equipment]	Fires	Civilian Deaths	Civilia	ın Injuries	Damag	e (in Millions)
		Corrected			Corrected		Corrected	l
	OTHER APPLIANCES AND EQUIPMENT	(Continue	d)					
	Entertainment equipment (continued)							
744	Two-way radio	5	5	0	0	0	\$0	\$0
756	Camcorder or video camera	3	3	0	0	θ	\$0	\$0
752	Film or slide projector	0	0	0	0	0	\$0	\$0
731	Guitar	0	0	0	0	0	\$0	\$0
757	Photographic camera or equipment	0	θ	0	0	0	\$0	\$0
850-855	Portable appliance designed to produce	1,621	1,916	27	98	100	\$62	\$63
	controlled heat							
850	Unclassified portable appliance	557	639	14	22	22	\$26	\$26
	designed to produce controlled heat							
855	Clothes iron	424	508	0	10	10	\$10	\$10
852	Electric blanket	403	483	8	54	55	\$15	\$15
853	Heating pad	229	275	4	12	13	\$9	\$9
854	Clothes steamer	8	11	0	0	0	\$2	\$2
851	Baby bottle warmer	0	θ	0	0	θ	\$0	\$0
812	Trash compactor	1,432	1,455	0	4	4	\$0	\$0
812	Non-confined fire	16	21	0	2	2	\$0	\$0
	Confined fire	1,416	1,434	0	1	2	\$0	\$0
873	Cigarette or pipe lighter ¹	1,019	1,256	50	183	190	\$35	\$35
841-849	Personal care devices	691	804	10	19	20	\$22	\$22
842	Curling iron	277	339	6	7	7	\$6	\$6
845	Hair dryer	301	334	0	12	13	\$8	\$8
844	Hair curler warmer	68	80	0	0	0	\$7	\$7
847	Razor or shaver	15	22	4	0	0	\$0	\$0
848	Sunlamp or tanning equipment	13	13	0	0	0	\$1	\$1
846	Lighted makeup mirror	12	12	0	0	0	\$0	\$0
841	Comb or hair brush	2	2	0	0	0	\$0	\$0
849	Toothbrush	2	2	0	0	0	\$0	\$0
843	Electrolysis equipment	0	0	0	0	0	\$0	\$0
*Table cre	eated May 2008, corrected October 2008							

¹ Home structure fires involving lighters are estimated much higher using the Heat Source field: 9,800 fires (including 2,200 confined fires), 210 civilian deaths, 930 civilian injuries, and \$221 million direct property damage (including \$1 million from confined fires).

							Dire	ct Property
EII	Type of Equipment	Fir Corrected	es	Civilian Deaths	Civilian Injuries Corrected		Damage (in Millions Corrected	
	OTHER APPLIANCES AND EQUIPMENT (Continued)	Г						
710-728	Office equipment	641	723	0	32	34	\$21	\$21
710-716	Computers and related equipment	446	488	0	27	28	\$18	\$18
711	Computer	213	230	0	15	15	\$12	\$12
710	Unclassified computer device	100	109	0	5	5	\$4	\$4
714	Computer monitor	66	72	0	2	2	\$2	\$2
715	Computer printer	55	66	0	5	5	\$1	\$1
716	Computer projection device	5	5	0	0	0	\$0	\$0
712	External computer storage device	3	3	0	0	0	\$0	\$0
713	External computer modem	3	3	0	0	θ	\$0	\$0
722	Telephone or answering machine	107	124	0	5	6	\$2	\$2
720-721,	Other office equipment	88	111	0	0	0	\$1	\$1
723-728								
726	Paper shredder	33	44	0	0	0	\$0	\$0
725	Fax machine	23	28	0	0	0	\$0	\$0
720	Unclassified office equipment	16	19	0	0	θ	\$0	\$0
728	Typewriter	10	13	0	0	0	\$0	\$0
724	Copier	7	7	0	0	0	\$0	\$0
721	Adding machine or calculator	0	0	0	0	0	\$0	\$0
723	Cash register	0	0	0	0	0	\$0	\$0
727	Postage or shipping meter equipment	0	θ	0	0	θ	\$0	\$0
352	Incinerator	599	675	0	2	2	\$0	\$0
352	Non-confined	0	θ	0	0	θ	\$0	\$0
	Confined	599	675	0	2	2	\$0	\$0

EII	Type of Equipment	Corrected	Fires	Civilian Deaths	Civilia Corrected	n Injuries	Dire Damag Corrected	ect Property ge (in Millions) l
	OTHER APPLIANCES AND EQUIPMENT							
	(Continued)							
311-318	Power tools	392	4 38	0	21	22	\$13	\$13
316	Power sander, grinder, buffer or polisher	151	165	0	2	2	\$2	\$2
311	Power saw	82	91	0	5	5	\$3	\$3
315	Power drill or screwdriver	66	77	0	4	4	\$1	\$1
310	Unclassified power tool	66	77	0	8	8	\$5	\$5
314	Power cutting tool	22	22	0	2	2	\$0	\$0
313	Power shaper, router, joiner, or planer	5	5	0	0	θ	\$2	\$2
312	Power lathe	0	θ	0	0	0	\$0	\$0
317	Power hammer	0	θ	0	0	θ	\$0	\$0
318	Power nail gun	0	θ	0	0	θ	\$0	\$0
500-538	Yard or other outdoor equipment	363	420	4	20	21	\$13	\$13
524	Lawn mower	260	298	0	14	15	\$10	\$10
523	Weed burner	31	40	0	2	2	\$1	\$1
534	Snow blower or thrower	22	22	4	4	4	\$1	\$1
532	Leaf blower	21	21	0	0	0	\$0	\$0
525	Lawn or landscape trimmer or edger	16	19	0	0	θ	\$0	\$0
522	Chain saw	10	15	0	0	0	\$0	\$0
533	Mulcher, grinder, or chipper	4	6	0	0	0	\$0	\$0
511	Combine or threshing machine	0	θ	0	0	0	\$0	\$0
512	Hay processing equipment	0	θ	0	0	0	\$0	\$0
513	Farm elevator or conveyor	0	θ	0	0	0	\$0	\$0
514	Silo loader or unloader	0	θ	0	0	0	\$0	\$0
515	Feed grinder, mixer, or blender	0	0	0	0	θ	\$0	\$0
516	Milking machine	0	θ	0	0	θ	\$0	\$0
517	Pasteurizer	0	θ	0	0	0	\$0	\$0
518	Cream separator	0	0	0	0	0	\$0	\$0

							Dire	ect Property
EII	Type of Equipment	Fi Corrected	res	Civilian Deaths	Civil Correcte	ian Injuries ed	Damag Correcte	ge (in Millions)
	OTHER APPLIANCES AND EQUIPMENT	Г						
	(Continued)							
521	Farm or garden sprayer	0	θ	0	0	0	\$0	\$0
531	Lawn vacuum	0	θ	0	0	0	\$0	\$0
535	Log splitter	0	0	0	0	0	\$0	\$0
536	Post-hole auger	0	0	0	0	0	\$0	\$0
537	Post driver or pile driver	0	θ	0	0	0	\$0	\$0
538	Tiller or cultivator	0	0	0	0	θ	\$0	\$0
373, 876 861-864,	Control and detection equipment	247	294	0	0	θ	\$3	\$3
800,808	T1	102	107	0	0	0	¢ 1	<u> </u>
808	I nermostat	103	127 70	0	0	0	\$1 ¢1	\$1 ¢1
803	Garage door opener	59	70 46	0	0	U	\$1 ¢0	\$1 ¢0
800	Smoke or heat detector	42	4 0 25	0	0	U	\$U ©	\$U \$0
3/3	Gas regulator	23	23 21	0	0	0	\$0 ©	\$0 \$0
8/6	Timer	1/	21	0	0	U	\$U ©	\$U \$0
864	Gas detector	4	4	0	0	0	\$0 ©	\$0 \$0
861	Automatic door opener (not garage)	0	÷ 	0	0	0	\$0 ©	\$0 \$0
862	Burglar alarm	0	ц Ф	0	0	0	\$0 ©	\$0 \$0
410-419	Biomedical equipment	231	262	54	64	66	\$9	\$9 #7
416	Oxygen administration equipment	182	209	46	60	62	\$7	\$7
419	Therapeutic equipment	23	28	4	0	0	\$1	\$1
410	Unclassified medical equipment	16	16	0	2	2	\$1	\$1
411	Dental, medical or other powered	10	10	4	2	2	\$0	\$0
412	Unclassified dental equipment	0	θ	0	0	θ	\$0	\$0
413	Dialysis equipment	0	Â	0	Ő	Å	\$0	\$0 \$0
414	Medical imaging equipment	0	Δ	Ő	õ	Å	\$0	\$0
415	Medical monitoring equipment	0	Â	0	Ő	ě	\$0	\$0
417	X-ray or other radiological	0	Δ	Õ	õ	Å	\$0	\$0
11/	equipment	0	0	0	Ū	v	Ψ0	ΨV

EII	Type of Equipment	F	ires	Civilian Deaths	Civilian Injuries Corrected		Direct Property Damage (in Millions) Corrected	
	OTHER APPLIANCES AND EQUIPMENT (Continued)							
418	Medical sterilizer	0	θ	0	0	θ	\$0	\$0
821	Hot tub, whirlpool, or spa	204	253	0	5	5	\$16	\$16
341-342, 344	Pump or compressor	206	238	0	0	θ	\$4	\$4
344	Pump	136	154	0	0	0	\$2	\$2
341	Air compressor	70	84	0	0	0	\$2	\$2
342	Gas compressor	0	θ	0	0	θ	\$0	\$0
830-834	Floor care equipment	207	233	0	20	21	\$5	\$5
834	Vacuum cleaner	166	188	0	15	16	\$4	\$4
832	Carpet cleaning equipment including rug shampooer	20	22	0	2	2	\$0	\$0
830	Unclassified floor care equipment	15	15	0	0	0	\$0	\$0
833	Floor buffer or waxer	6	8	0	3	3	\$0	\$0
831	Electric broom	0	0	0	0	0	\$0	\$0
320-325	Painting or coating equipment	100	118	0	7	7	\$10	\$10
320	Unclassified painting tool	70	87	0	2	2	\$7	\$7
324	Paint sprayer	23	25	0	2	2	\$3	\$3
325	Coating machine	6	6	0	2	2	\$0	\$0
322	Paint flow coating machine	0	0	0	0	0	\$0	\$0
321	Paint dipper	0	0	0	0	0	\$0	\$0
323	Paint mixing machine	0	0	0	0	0	\$0	\$0
351	Heat treating equipment	101	117	0	0	0	\$7	\$7
374	Separate motor	71	94	0	2	2	\$1	\$1
872	Charcoal lighter	66	77	0	12	12	\$3	\$3
869	Ashtray	64	76	0	2	2	\$1	\$1
891	Clock	60	69	0	0	0	\$2	\$2
433	Elevator or lift	48	50	0	0	0	\$0	\$0

EII	Type of Equipment	Corrected	Fires	Civilian Deaths	Civilian Injuries Corrected		Direct Property Damage (in Millions) Corrected	
	OTHER APPLIANCES AND EQUIPME	NT (Continue	ed)					
345	Wet/dry vacuum or shop vac	43	46	0	7	7	\$1	\$1
375	Internal combustion engine	36	45	0	0	θ	\$1	\$1
822	Swimming pool equipment	36	41	0	3	3	\$3	\$3
882	Powered toy	27	36	0	0	θ	\$1	\$1
895	Sewing machine	28	33	0	0	θ	\$1	\$1
423	TV monitor array	24	29	0	2	2	\$0	\$0
883	Woodburning kit	20	22	4	3	3	\$1	\$1
354	Tarpot or tar kettle	19	21	0	0	θ	\$0	\$0
445	Water fountain or water cooler	14	19	0	0	0	\$0	\$0
875	Insect trap	13	15	0	0	0	\$0	\$0
346	Hoist or lift	14	14	0	0	θ	\$0	\$0
353	Industrial furnace or kiln	11	13	0	0	0	\$0	\$0
443	Vending machine	8	11	0	0	0	\$0	\$0
348	Drilling machinery or equipment	9	9	0	0	θ	\$0	\$0
450	Unclassified laboratory equipment	5	5	0	0	θ	\$0	\$0
874	Fire extinguishing equipment	5	5	0	0	0	\$1	\$1
425	Studio type sound recording equipment	4	4	0	0	θ	\$0	\$0
340	Unclassified hydraulic equipment	4	4	0	0	θ	\$0	\$0
358	Extractor or waste recovery equipment	4	4	0	0	0	\$0	\$0
356	Distilling equipment	3	3	0	0	θ	\$0	\$0
446	Telescope	3	3	0	0	θ	\$0	\$0
442	Photo processing equipment	3	3	0	0	0	\$0	\$0
422	Telephone switching gear	3	3	0	0	θ	\$0	\$0
362	Power transfer equipment	2	2	0	0	0	\$0	\$0
	(rope, cable, or block)							
892	Gun	2	2	0	0	0	\$0	\$0
896	Shoe polisher	2	2	0	0	0	\$0	\$0
377	Car washing equipment	2	2	0	0	0	\$0	\$0
	Contained trash or rubbish fire	14,634	16,546	0	56	57	\$3	\$3

Additional equipment with no reported home structure fires in 2002-2005.

Equipment Involved in Ignition		Equipment Involved in Ignition		
343	Atomizing equipment	426	Radar equipment	
347	Powered jacking equipment	431	Amusement ride equipment	
355	Casting, molding or forging equipment	432	Ski lift	
357	Digester or reactor	434	Escalator	
361	Conveyor	441	Microfilm or microfiche	
363	Power take-off		viewing equipment	
364	Powered valve	444	Non-video arcade game	
365	Bearing or brake	451	Electron microscope	
371	Picking, carding or weaving machine	500	Unclassified gardening tools	
372	Testing equipment	865	Intercom	
376	Printing press	881	Model vehicle	
400	Unclassified commercial or medical	893	Jewelry cleaning machine	
	equipment	894	Scissors	
421	Transmitter	897	Sterilizer	
424	Studio type TV camera			

Notes on Formats: Equipment groups shown in all caps and bold are the subject of an NFPA report. Types and groups of equipment whose names are indented are parts of the equipment group they are listed under. Equipment types that belong to a listed group are shown with that group, even if they had no reported fires estimated for the period.

Notes on Statistical Methodology: These are national estimates of fires reported to U.S. municipal fire departments and so exclude fires reported only to Federal or state agencies or industrial fire brigades. National estimates are projections. Casualty and loss projections can be heavily influenced by the inclusion or exclusion of one unusually serious fire. Fires and civilian deaths and injuries are rounded to the nearest one, and direct property damage is rounded to the nearest million dollars. Damage has not been adjusted for inflation. Figures reflect a proportional share of home fires with equipment involved in ignition unknown, and partial unknown have been allocated as indicated. Fires reported as "no equipment" but lacking a confirming specific heat source (codes 40-99) are also treated as unknown equipment and allocated. Fires reported as "no equipment" and having a confirming specific heat source are not shown on the table. Totals may not equal sums because of rounding error.

Notes on Allocations: Equipment Involved in Ignition 100, 200, 300, 400, 500, 600, 700, and 800 are partial unknowns that are proportionally allocated over the known equipment categories defined by the same initial digit (e.g., EII 100 over 101-199). Other partial unknowns that are allocated are EII 120 (over 121-129, fireplaces and chimneys), EII 210 (over 211-219, wiring, outlets, receptacles, switches, and some overcurrent protection equipment), EII 230 (over 231-239, certain light fixtures and lamps), and EII 260 (over 261-269, cords and plugs). Incident Type 113 (confined cooking vessel fires) are allocated over all known equipment codes, with the fires allocated to cooking equipment shown with those equipment types and the other fires shown together as fires confined to cooking vessel but coded as non-cooking equipment. Incident Types 114 and 116 (confined chimney and boiler fires) are similarly allocated over all known equipment codes, with the fires allocated to heating equipment but coded as non-heating equipment. Incident Types 115 (confined to incinerator) and 117 (confined to trash compactor) are shown with those two types of equipment. Incident Type 118 (confined trash fire) is shown by itself. Source: NFIRS Version 5.0 and NFPA survey.

Appendix A. How National Estimates Statistics Are Calculated

The statistics in this analysis are estimates derived from the U.S. Fire Administration's (USFA's) National Fire Incident Reporting System (NFIRS) and the National Fire Protection Association's (NFPA's) annual survey of U.S. fire departments. NFIRS is a voluntary system by which participating fire departments report detailed factors about the fires to which they respond. Roughly two-thirds of U.S. fire departments participate, although not all of these departments provide data every year.

NFIRS provides the most detailed incident information of any national database not limited to large fires. NFIRS is the only database capable of addressing national patterns for fires of all sizes by specific property use and specific fire cause. NFIRS also captures information on the extent of flame spread, and automatic detection and suppression equipment. For more information about NFIRS visit <u>http://www.nfirs.fema.gov/</u>. Copies of the paper forms may be downloaded from <u>http://www.nfirs.fema.gov/_download/nfirspaperforms2007.pdf</u>.

Each year, NFPA conducts an annual survey of fire departments which enables us to capture a summary of fire department experience on a larger scale. Surveys are sent to all municipal departments protecting populations of 50,000 or more and a random sample, stratified by community size, of the smaller departments. Typically, a total of roughly 3,000 surveys are returned, representing about one of every ten U.S. municipal fire departments and about one third of the U.S. population.

The survey is stratified by size of population protected to reduce the uncertainty of the final estimate. Small rural communities have fewer people protected per department and are less likely to respond to the survey. A larger number must be surveyed to obtain an adequate sample of those departments. (NFPA also makes follow-up calls to a sample of the smaller fire departments that do not respond, to confirm that those that did respond are truly representative of fire departments their size.) On the other hand, large city departments are so few in number and protect such a large proportion of the total U.S. population that it makes sense to survey all of them. Most respond, resulting in excellent precision for their part of the final estimate.

The survey includes the following information: (1) the total number of fire incidents, civilian deaths, and civilian injuries, and the total estimated property damage (in dollars), for each of the major property use classes defined in NFIRS; (2) the number of on-duty firefighter injuries, by type of duty and nature of illness; and (3) information on the type of community protected (e.g., county versus township versus city) and the size of the population protected, which is used in the statistical formula for projecting national totals from sample results. The results of the survey are published in the annual report *Fire Loss in the United States*. To download a free copy of the report, visit http://www.nfpa.org/assets/files/PDF/OS.fireloss.pdf.

Projecting NFIRS to National Estimates

As noted, NFIRS is a voluntary system. Different states and jurisdictions have different reporting requirements and practices. Participation rates in NFIRS are not necessarily uniform across regions and community sizes, both factors correlated with frequency and severity of fires. This means NFIRS may be susceptible to systematic biases. No one at present can quantify the size of these deviations from the ideal, representative sample, so no one can say with confidence that they are or are not serious problems. But there is enough reason for concern so that a second database - the NFPA survey - is needed to project NFIRS to national estimates and to project different parts of NFIRS separately. This multiple calibration approach makes use of the annual NFPA survey where its statistical design advantages are strongest.

Scaling ratios are obtained by comparing NFPA's projected totals of residential structure fires, non-residential structure fires, vehicle fires, and outside and other fires, and associated civilian deaths, civilian injuries, and direct property damage with comparable totals in NFIRS. Estimates of specific fire problems and circumstances are obtained by multiplying the NFIRS data by the scaling ratios.

Analysts at the NFPA, the USFA and the Consumer Product Safety Commission have developed the specific analytical rules used for this procedure. "The National Estimates Approach to U.S. Fire Statistics," by John R. Hall, Jr. and Beatrice Harwood, provides a more detailed explanation of national estimates. A copy of the article is available online at http://www.nfpa.org/osds or through NFPA's One-Stop Data Shop.

Version 5.0 of NFIRS, first introduced in 1999, used a different coding structure for many data elements, added some property use codes, and dropped others.



Fires Originally Collected in NFIRS 5.0 by Year

Figure 1.

Figure 1 shows the percentage of fires originally collected in the NFIRS 5.0 system. Each year's release version of NFIRS data also includes data collected in older versions of NFIRS that were converted to NFIRS 5.0 codes.

For 2002 data on, analyses are based on scaling ratios using only data originally collected in NFIRS 5.0:

NFPA survey projections NFIRS totals (Version 5.0)

For 1999 to 2001, the same rules may be applied, but estimates for these years in this form will be less reliable due to the smaller amount of data originally collected in NFIRS 5.0; they should be viewed with extreme caution.

A second option is to omit year estimates for 1999-2001 from year tables.

NFIRS 5.0 has six categories of confined structure fires, including:

- cooking fires confined to the cooking vessel,
- confined chimney or flue fires,
- confined incinerator fire,
- confined fuel burner or boiler fire or delayed ignition,
- confined commercial compactor fire, and
- trash or rubbish fires in a structure with no flame damage to the structure or its contents.

Although causal and other detailed information is typically not required for these incidents, it is provided in some cases. In order for that limited detail to be used to characterize the confined fires, they must be analyzed separately from non-confined fires. Otherwise, the patterns in a factor for the more numerous non-confined fires with factor known will dominate the allocation of the unknown factor fires for both non-confined and confined fires. If the pattern is different for confined fires, which is often the case, that fact will be lost unless analysis is done separately.

For most fields other than Property Use, NFPA allocates unknown data proportionally among known data. This approach assumes that if the missing data were known, it would be distributed in the same manner as the known data. NFPA makes additional adjustments to several fields.

For Factor Contributing to Ignition, the code "none" is treated as an unknown and allocated proportionally. For Human Factor Contributing to Ignition, NFPA enters a code for "not reported" when no factors are recorded. "Not reported" is treated as an

unknown, but the code "none" is treated as a known code and not allocated. Multiple entries are allowed in both of these fields. Percentages are calculated on the total number of fires, not entries, resulting in sums greater than 100%. Groupings for this field show all category headings and specific factors if they account for a rounded value of at least 1%.

Type of Material First Ignited (TMI). This field is required only if the Item First Ignited falls within the code range of 00-69. NFPA has created a new code "not required" for this field that is applied when Item First Ignited is in code 70-99 (organic materials, including cooking materials and vegetation, and general materials, such as electrical wire, cable insulation, transformers, tires, books, newspaper, dust, rubbish, etc..) and TMI is blank. The ratio for allocation of unknown data is:

(All fires – TMI Not required) (All fires – TMI Not Required – Undetermined – Blank))

Heat Source. In NFIRS 5.0, one grouping of codes encompasses various types of open flames and smoking materials. In the past, these had been two separate groupings. A new code was added to NFIRS 5.0, which is code 60: "Heat from open flame or smoking material, other." NFPA treats this code as a partial unknown and allocates it proportionally across the codes in the 61-69 range, shown below.

- 61. Cigarette,
- 62. Pipe or cigar,
- 63. Heat from undetermined smoking material,
- 64. Match,
- 65. Lighter: cigarette lighter, cigar lighter,
- 66. Candle,
- 67 Warning or road flare, fusee,
- 68. Backfire from internal combustion engine. Excludes flames and sparks from an exhaust system, (11)
- 69. Flame/torch used for lighting. Includes gas light and gas-/liquid-fueled lantern.

In addition to the conventional allocation of missing and undetermined fires, NFPA multiplies fires with codes in the 61-69 range by

All fires in range 60-69 All fires in range 61-69 The downside of this approach is that heat sources that are truly a different type of open flame or smoking material are erroneously assigned to other categories. The grouping "smoking materials" includes codes 61-63 (cigarettes, pipes or cigars, and heat from undetermined smoking material, with a proportional share of the code 60s and true unknown data.

Equipment Involved in Ignition (EII). NFIRS 5.0 originally defined EII as the piece of equipment that provided the principal heat source to cause ignition if the equipment malfunctioned or was used improperly. In 2006, the definition was modified to "the piece of equipment that provided the principal heat source to cause ignition." However, the 2006 data is not yet available and a large portion of the fires coded as no equipment involved (NNN) have heat sources in the operating equipment category. To compensate, NFPA treats fires in which EII = NNN and heat source is not in the range of 40-99 as an additional unknown.

To allocate unknown data for EII, the known data is multiplied by

All fires
(All fires – blank – undetermined –[fires in which EII =NNN and heat source <>40-99])

Additional allocations may be used in specific analyses. For example, NFPA's report about home heating fires treats Equipment Involved in Ignition Code 120, fireplace, chimney, other" as a partial unknown (like Heat Source 60) and allocates it over its related decade of 121-127, which includes codes for fireplaces (121-122) and chimneys (126-127) but also includes codes for fireplace insert or stove, heating stove, and chimney or vent connector. More general analyses of specific occupancies may not perform as many allocations of partial allocations. Notes at the end of each table describe what was allocated.

Rounding and percentages. The data shown are estimates and generally rounded. An entry of zero may be a true zero or it may mean that the value rounds to zero. Percentages are calculated from unrounded values. It is quite possible to have a percentage entry of up to 100%, even if the rounded number entry is zero. Values that appear identical may be associated with different percentages, and identical percentages may be associated with slightly different values.