

AMENDMENT BALLOT No. 501-2

**Technical Committee on Manufactured Housing
NFPA 501, *Standard on Manufactured Housing*
June 25, 2020**

IF YOU AGREE TO SUPPORT AMENDMENT 501-2 as recommended by the NFPA membership by vote at Tech Session, the recommended text reads as follows (*changes shown legislatively to the Second Draft*):

5.3.1.1*

Interior finish materials required in this standard to meet flame spread index requirements shall be classified based on test results from ASTM E84, *Standard Test Method for Surface Burning Characteristics of Building Materials*, or UL 723, *Standard for Test of Surface Burning Characteristics for Building Materials*; when appropriate, the standard practices listed in ASTM E84 or UL 723 shall be used for specimen preparation, mounting and reporting of the relevant materials.

IF YOU DISAGREE WITH THE RECOMMENDATION FOR AMENDMENT 501-2 by the NFPA membership by vote at Tech Session, the recommended text (i.e. previous edition text) is shown clean below. If no previous edition text exists, the text supported by the membership vote is simply deleted.

5.3.1.1* Interior finish materials required in this standard to meet flame spread index requirements shall be classified based on test results from ASTM E84, *Standard Test Method for Surface Burning Characteristics of Building Materials*, or ANSI/UL 723, *Standard for Test of Surface Burning Characteristics for Building Materials*.