



Tentative Interim Amendment

NFPA[®] 99
Health Care Facilities Code
2012 Edition

Reference: 10.2.3.6(5) and A.10.2.3.6(5)

TIA 12-5

(SC 13-8-18/TIA Log #1104)

Pursuant to Section 5 of the *NFPA Regulations Governing the Development of NFPA Standards*, the National Fire Protection Association has issued the following Tentative Interim Amendment to NFPA 99, *Health Care Facilities Code*, 2012 edition. The TIA was processed by the Technical Committee on Medical Equipment and the Correlating Committee on Health Care Facilities, and was issued by the Standards Council on August 1, 2013, with an effective date of August 20, 2013.

A Tentative Interim Amendment is tentative because it has not been processed through the entire standards-making procedures. It is interim because it is effective only between editions of the standard. A TIA automatically becomes a public input of the proponent for the next edition of the standard; as such, it then is subject to all of the procedures of the standards-making process.

- 1. Delete entire subsection 10.2.3.6(5).*
- 2. Delete corresponding Annex A material A.10.2.3.6(5).*

Issue Date: August 1, 2013

Effective Date: August 20, 2013

(Note: For further information on NFPA Codes and Standards, please see <http://www.nfpa.org/docinfolist>)

Copyright © 2013 All Rights Reserved
NATIONAL FIRE PROTECTION ASSOCIATION